Town of Leicester Planning Board 3 Washburn Square Leicester, MA 01542

RE: Agenda Request - Meeting of the Planning Board Briarcliff Estates SV LLC - Briarcliff Estates Senior Village Project

Greetings,

I am requesting that Briarcliff Estates SV LLC be added to the Agenda of the Planning Board Meeting on Tuesday May  $2^{nd}$ , 2017.

Items to bring before the Planning Board include;

1. Minor Change to the Approved Definitive Plan dated 5/18/2004.

Whereas the original Definitive Plan specified a Street Light design in the development that was of a Municipal-Style light fixture mounted to a Wood Utility Pole, we will be requesting approval on a new more pleasing design, which will compliment the overall design of the development. (Drawing Attached)

2. Submittal and Review of a Street-Scape Planting plan, which was never part of the Definitive Plan. (Plan Attached)

Respectfully,

Matthew Bassick

**Briarcliff Estates SV LLC** 

PO Box 832


Hopkinton, MA 01748

RECEIVED


APR 2 5 2017

## **Briarcliff Estates Senior Village Minor Change Request - 5/2/17**

Original Street Light Design from Approved Definitive Plan dated 5/18/2004



WITH THE PLANS, LOCAL REQUIREMENTS AND THE LOCAL UTILITY COMPANY. LOCATION OF PROPOSED STREET LIGHTS SHALL BE IN ACCORDANCE



## **Proposed New Street Light Design**


Primelite Manufacturing #8844 Series 14' Cast Aluminum Post (Black) #1231 LED 40 Watt - Glass Street Light


\*Height of the bulb/fixture will be the same 15' as originally approved.

\*Photo Eye Sensor LED 40 Watt with 3000K bulb to yield comparable lumens and appearance to the original specification of the 70 Watt High Pressure Sodium bulb.


\*Precast concrete post support foundation embedded into the ground. Approximately 4" to remain above finished grade.








Unless Otherwise Specified:		Name	Date	Duine alita Mfa. Oama				
Dimensions in Inches Tolerances: Fractional ± Angular: Mach ± Bend ± Two Place Decimal ± Three Place Decimal ±	Drawn	T.A.R.	08/26/10	Prin	Primelite Mfg. Corp.			
	Checked			4024				
	ENG Appr.			1231				
	MFR Appr.			Glass				
	QA							
	Comments		1					
Glass	CAD Generated D	AD Generated Drawing		Size	Drawing No.		Rev	
Lamp: 1-1000A	Do Not Manually Update		Α	0001		Α		
				ļ	1	T		





## SECTION A-A

## NOTES:

- 1. CONCRETE MINIMUM STRENGTH 4,000 PSI AFTER 28 DAYS.
- 2. CONDUIT, ANCHOR BOLTS AND TEMPLATE SUPPLIED BY OTHERS.
- 3. LIGHT POLE BASE SIZE IS TO BE SPECIFIED BY A QUALIFIED ENGINEER.



New England's Premier Precaster 800-696-7432 (SHEA) www.sheaconcrete.com

LIGHT POLE BASE 17" DIAMETER